

AMENDED

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATEDDate of filing in State Engineer's Office MAR 26 2002Returned to applicant for correction APR 09 2002Corrected application filed APR 23 2002Map filed APR 23 2002

The applicant **WILLIAM JAY SPROW and PATRICIA IREEN SPROW 1997 FAMILY TRUST** hereby makes application for permission to change the of water heretofore appropriated under

1. The source of water is **Underground**
2. The amount of water to be changed **0.0055 cfs NTE 2.0 AFA**
3. The water to be used for **Irrigation & Domestic**
4. The water heretofore permitted for **Irrigation & Domestic**
5. The water is to be diverted at the following point **SW¼ SW¼ Section 11, T. 13N., R. 19 E., M.D.B. & M. or at a point from which the SW corner of said Section 11 bears S. 53° 49' 29" W., a distance of 949.75 feet.**
6. The existing permitted point of diversion is located within **NW¼ SE¼ Section 10, T. 12 N., R. 19 E., M.D.B. & M., or at a point from which the S¼ corner of said Section 10 bears S. 00° 31' 46" W., a distance of 1733.4 feet.**
7. Proposed place of use **Portion of the SW¼ SW¼ Section 11, T. 13 N., R. 19 E., M.D.B. & M. Being a portion of APN 17-140-08.**
8. Existing place of use **7.7 acres within the S¼ SE¼ Section 9, T. 12 N., R. 19 E., M.D.B. & M.**
9. Use will be from **January 1st to December 31st** of each year.
10. Use was permitted from **January 1st to December 31st** of each year.
11. Description of proposed works **drilled and cased 8-inch well, pump, motor, meter and distribution system.**
12. Estimated cost of works **\$15,000.00±**
13. Estimated time required to construct works **completed – existing 8-5/8 inch well drilled to a depth of 135 feet.**
14. Estimated time required to complete the application of water to beneficial use **3 years**

68656

15. Remarks: For existing Point of Diversion and Place of Use, please refer to Map filed in support of Application 64831.

WESTERN ENGINEERING & SURVEYING SERVICES

By **ROBERT H. CANTLEY**
s/ **Robert H. Cantley**
3032 Silver Sage Drive
Carson City, Nevada 89701

Compared sg/ cmf dr/ cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 64831 is issued subject to the terms and conditions imposed in said Permit 64831 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is limited to the irrigation of 0.5 acres within the described place of use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0055 cubic feet per second, but not to exceed 2.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

January 9, 2004

Proof of completion of work shall be filed before:

February 9, 2004

Water must be placed to beneficial use on or before:

January 9, 2007

Proof of the application of water to beneficial use shall be filed on or before:

February 9, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 9th day of January, A.D. 2003


State Engineer

Completion of work filed MAY 21 2003

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____